Erbay, H.
Meralgia Paresthetica in Differential Diagnosis of Low-Back Pain, 132
Eriksson, M. Y. *see* Wilson, K. G.

Fanciullo, G. J. *see* Katz, N.
Ferrell, B. A. *see* Simmons, S. F.
Fialka-Moser, V. *see* Strauss-Blasche, G.
Finch, P. M. *see* Roberts, L. J.
Fishman, S. M.
Kreis, P. G.: The Opioid Contract, S70
Flickinger, J. C. *see* Kondziolka, D.
Forouzanfar, T.
Kemler, M., Kessels, A. G. H., Köke, A. J. A., van Kleef, M., Weber, W. E. J.: Comparison of Multiple Against Single Pain Intensity Measurements in Complex Regional Pain Syndrome Type I: Analysis of 54 Patients, 234
Freund, B. *see* Schwartz, M.
Freund, B. J.
Schwartz, M.: Use of Botulinum Toxin in Chronic Whiplash-Associated Disorder, S163

Gagliardi, G. *see* Ceccherelli, F.
Gajraj, N. M. *see* Gatchel, R. J.
Galer, B. S.
Jensen, M. P., Ma, T., Davies, P. S., Rowbotham, M. C.: The Lidocaine Patch 5% Effectively Treats All Neuropathic Pain Qualities: Results of a Randomized, Double-Blind, Vehicle-Controlled, 3-Week Efficacy Study With Use of the Neuropathic Pain Scale, 297
Gatchel, R. J.
Noe, C. E., Pulliam, C., Robbins, H., Deschner, M., Gajraj, N. M., Vakharia, A. S.: A Preliminary Study of Multidimensional Pain Inventory Profile Differences in Predicting Treatment Outcome in a Heterogeneous Cohort of Patients with Chronic Pain, 139
Geertzen, J. H. B. *see* Reinders, M. F.
Geilen, M. *see* Vlaeyen, J. W. S.
Geisser, M. E. *see* Roth, R. S.:
Giamberardino, M. A. *see* Panerai, A. E.
Gilson, A. M.
Joranson, D. E.: U.S. Policies Relevant to the Prescribing of Opioid Analgesics for the Treatment of Pain in Patients With Addictive Disease, S91
Glogau, R. G.
A Review of the Use of Botulinum Toxin for Hyperhidrosis and Cosmetic Purposes, S191
Goodman, J. T. *see* Ellis, J. A.
Goolkasian, P.
Wheeler, A. H., Gretz, S. S.: The Neck Pain and Disability Scale: Test–Retest Reliability and Construct Validity, 245
Gretz, S. S. *see* Goolkasian, P.

Halbert, J.
Crotty, M., Cameron, I. D.: Evidence for the Optimal Management of Acute and Chronic Phantom Pain: A Systematic Review, 84
Harding, L. M. *see* Davies, S. J.
Hazebroek-Kampschreur, A. A. J. M. *see* Hunfeld, J. A. M.
Herron, P. D. *see* Cohen, M. J. M.
Heuts, P. H. T. G. *see* Vlaeyen, J. W. S.
Hicken, B. L. *see* Putzke, J. D.
Holmgren, H. *see* Vrethem, M.
Hsieh, S.-W. *see* Chia, Y.-Y.
Hunfeld, J. A. M.
Perquin, C. W., Bertina, W., Hazebroek-Kampschreur, A. A. J. M., van Suijlekom-Smit, L. W. A., Koes, B. W., van der Wouden, J. C., Passchier, J.: Stability of Pain Parameters and Pain-Related Quality of Life in Adolescents With Persistent Pain: A Three-Year Follow-Up, 99

Ideguchi, S. *see* Umino, M.
Inturrisi, C. E.
Clinical Pharmacology of Opioids for Pain, S3

Jabbari, B. *see* Difazio, M.
Jamison, R. N. *see* Nedeljkovic, S. S.
Jamison, R. N.
Introduction, S1
Jasser, S. *see* Cohen, M. J. M.
Jensen, M. P. *see* Galer, B. S.
Jensen, T. S. *see* Sindrup, S. H.
Joranson, D. E. *see* Gilson, A. M.

Kalizewski, T. *see* Thimineur, M.
Kapoor, N.
Ciuffreda, K. J., Tannen, B.: Complex Regional Pain Syndrome Type I: Associated Visual Sensorimotor Case Findings, 93
Katz, J. *see* Bergmans, L.
Katz, N.
Fanciullo, G. J.: Role of Urine Toxicology Testing in the Management of Chronic Opioid Therapy, S76
Keefe, F. J. *see* Lefebvre, J. C.
Kemler, M. *see* Forouzanfar, T.
Kessels, A. G. H. *see* Forouzanfar, T.
Ketenci, A. *see* Yücel, B.
Kezar, L. *see* Putzke, J. D.
Kirsh, K. L.
Whitcomb, L. A., Donaghy, K., Passik, S. D.: Abuse and Addiction Issues in Medically Ill Patients With Pain: Attempts at Clarification of Terms and Empirical Study, S52
Kitaj, M. *see* Thimineur, M.
Koes, B. W. *see* Hunfeld, J. A. M.
Kohase, H. *see* Umino, M.
Köke, A. J. A. *see* Forouzanfar, T.
Kollender, Y. *see* Abraham, R. B.
Kondziolka, D.
Lunsford, L. D., Flickinger, J. C.: Stereotactic Radiosurgery for the Treatment of Trigeminal Neuralgia, 42
Koot, H. M. *see* van Dijk, M.
Kravitz, E. *see* Thimineur, M.
Kreis, P. G. *see* Fishman, S. M.
Kropmans, T. J. B.
Dijkstra, P. U., Stegenga, B., Stewart, R., de Bont, L. G. M.: Repeated Assessment of Temporomandibular Joint Pain: Reasoned Decision-Making With Use of Unidimensional and Multidimensional Pain Scales, 107
Kuo, M.-C. *see* Chia, Y.-Y.

Lau, J. *see* Cepeda, M. S.
Lefebvre, J. C.
Keefe, F. J.: Memory for Pain: The Relationship of Pain Catastrophizing to the Recall of Daily Rheumatoid Arthritis Pain, 56
Lew, M. F.
Review of the FDA-Approved Uses of Botulinum Toxins, Including Data Suggesting Efficacy in Pain Reduction, S142
Lindström, T. *see* Vrethem, M.
Liu, K. *see* Chia, Y.-Y.

Loder, E.
Biondi, D.: Use of Botulinum Toxins for Chronic Headaches: A Focused Review, S169
Lundsford, L. D. *see* Kondziolka, D.
Luskin, M. B. *see* Morin, C.

Ma, T. *see* Galer, B. S.
Madsen, H. *see* Bajaj, P.
Malmivaara, A. *see* Pienimäki, T.
Margolis, C. G. *see* Cohen, M. J. M.
Marktl, W. *see* Strauss-Blasche, G.
Marouani, N. *see* Abraham, R. B.
Marshall, H. M. *see* Warms, C. A.
Melchart, H. *see* Strauss-Blasche, G.
Meller, I. *see* Abraham, R. B.
Meroni, P. *see* Panerai, A. E.
Mikail, S. F. *see* Wilson, K. G.
Moliner, S. *see* Cerda-Olmedo, G.
Morin, C.
Bushnell, M. C., Luskin, M. B., Craig, A. D. (Bud): Disruption of Thermal Perception in a Multiple Sclerosis Patient With Central Pain, 191

Nedeljkovic, S. S.
Wasan, A., Jamison, R. N.: Assessment of Efficacy of Long-Term Opioid Therapy in Pain Patients With Substance Abuse Potential, S39
Ness, T. J. *see* Putzke, J. D.
Ng, K. F. J.
Tsui, S. L., Chan, W. S.: Prevalence of Common Chronic Pain in Hong Kong Adults, 275
Noe, C. E. *see* Gatchel, R. J.
Nurmikko, T. J. *see* Peters, G.
Nurmikko, T. J.
Introduction, 1

O'Brien, C. F.
Treatment of Spasticity With Botulinum Toxin, S182
O'Connor, B. V. *see* Ellis, J. A.
O'Connor, P. J. *see* Poudevigne, M. S.
Olsson, I.
Bunketorp, O., Carlsson, S. G., Styf, J.: Prediction of Outcome in Whiplash-Associated Disorders Using West Haven–Yale Multidimensional Pain Inventory, 238
Özyalcin, S. *see* Yücel, B.

Panerai, A. E.
Vecchiet, J., Panzeri, P., Meroni, P., Scarone, S., Pizzigallo, E., Giamberardino, M. A., Sacerdote, P.: Peripheral Blood Mononuclear Cell β-Endorphin Concentration Is Decreased in Chronic Fatigue Syndrome and Fibromyalgia but Not in Depression: Preliminary Report, 270
Panzeri, P. *see* Panerai, A. E.
Pasley, J. D. *see* Poudevigne, M. S.
Passchier, J. *see* Hunfeld, J. A. M.
Passchier, J. *see* van Dijk, M.
Passik, S. D. *see* Kirsh, K. L.
Perquin, C. W. *see* Hunfeld, J. A. M.
Peters, G.
Nurmikko, T. J.: Peripheral and Gasserian Ganglion-Level Procedures for the Treatment of Trigeminal Neuralgia, 28
Pienimäki, T.
Tarvainen, T., Siira, P., Malmivaara, A., Vanharanta, H.: Associations Between Pain, Grip Strength, and Manual Tests in the Treatment Evaluation of Chronic Tennis Elbow, 164
Pizzigallo, E. *see* Panerai, A. E.
Poudevigne, M. S.
O'Connor, P. J., Pasley, J. D.: Lack of Both Sex Differences and Influence of Resting Blood Pressure on Muscle Pain Intensity, 386
Price, L. M. *see* Roberts, L. J.
Pullan, P. T. *see* Roberts, L. J.
Pulliam, C. *see* Gatchel, R. J.
Putzke, J. D.
Richards, J. S., Kezar, L., Hicken, B. L., Ness, T. J.: Long-Term Use of Gabapentin for Treatment of Pain After Traumatic Spinal Cord Injury, 116

Rappaport, Z. H. *see* Devor, M.
Reed, B. A. *see* Chapman, S. L.
Reid, C. W. *see* Ellis, J. A.
Reinders, M. F.
Geertzen, J. H. B., Dijkstra, P. U.: Complex Regional Pain Syndrome Type I: Use of the International Association for the Study of Pain Diagnostic Criteria Defined in 1994, 207
Richards, J. S. *see* Putzke, J. D.
Rigoni, M. T. *see* Ceccherelli, F.
Robbins, H. *see* Gatchel, R. J.
Roberts, L. J.
Finch, P. M., Pullan, P. T., Bhagat, C. I., Price, L. M.: Sex Hormone Suppression by Intrathecal Opioids: A Prospective Study, 144
Roth, R. S.
Geisser, M. E.: Educational Achievement and Chronic Pain Disability: Mediating Role of Pain-Related Cognitions, 286
Rowbotham, M. C. *see* Galer, B. S.
Royal, M. A. *see* Smith, H. S.
Ruzzante, L. *see* Ceccherelli, F.

Saad, H. H. A. *see* van Dijk, M.
Sacerdote, P. *see* Panerai, A. E.
Sakurai, N. *see* Umino, M.
Savage, S. R.
Assessment for Addiction in Pain-Treatment Settings, S28
Scarone, S. *see* Panerai, A. E.
Schmader, K. E.
Epidemiology and Impact on Quality of Life of Postherpetic Neuralgia and Painful Diabetic Neuropathy, 350
Schnelle, J. F. *see* Simmons, S. F.
Schnoll, S. *see* Weaver, M.
Schulteis, G. *see* Wallace, M. S.
Schwartz, M. *see* Freund, B. J.
Schwartz, M.
Freund, B.: Treatment of Temporomandibular Disorders With Botulinum Toxin, S198
Sertel, H. Ö. *see* Yücel, B.
Setler, P. F.
Therapeutic Use of Botulinum Toxins: Background and History, S119
Siira, P. *see* Pienimäki, T.
Sim, J.
Adams, N.: Systematic Review of Randomized Controlled Trials of Nonpharmacological Interventions for Fibromyalgia, 324
Simmons, S. F.
Ferrell, B. A., Schnelle, J. F.: Effects of a Controlled Exercise Trial on Pain in Nursing Home Residents, 380
Sindrup, S. H.
Jensen, T. S.: Pharmacotherapy of Trigeminal Neuralgia, 22

Smith, H. S.
Audette, J., Royal, M. A.: Botulinum Toxin in Pain Management of Soft Tissue Syndromes, S147
Snijdelaar, D. G. *see* Bergmans, L.
Sood, P. *see* Thimineur, M.
Stegenga, B. *see* Kropmans, T. J. B.
Stewart, R. *see* Kropmans, T. J. B.
Strain, E. C.
Assessment and Treatment of Comorbid Psychiatric Disorders in Opioid-Dependent Patients, S14
Strauss-Blasche, G.
Ekmekcioglu, C., Vacariu, G., Melchart, H., Fialka-Moser, V., Marktl, W.: Contribution of Individual Spa Therapies in the Treatment of Chronic Pain, 302
Styf, J. *see* Olsson, I.
Sun, G.-C. *see* Chia, Y.-Y.

Talu, G. K. *see* Yücel, B.
Tannen, B. *see* Kapoor, N.
Tarvainen, T. *see* Pienimäki, T.
Thimineur, M.
Kitaj, M., Kravitz, E., Kalizewski, T., Sood, P.: Functional Abnormalities of the Cervical Cord and Lower Medulla and Their Effect on Pain: Observations in Chronic Pain Patients With Incidental Mild Chiari I Malformation and Moderate to Severe Cervical Cord Compression, 171
Thompson, D.
Toward a Pharmacoeconomic Model of Neuropathic Pain, 366
Tibboel, D. *see* van Dijk, M.
Tsui, S. L. *see* Ng, K. F. J.
Turk, D. C.
Clinical Effectiveness and Cost-Effectiveness of Treatments for Patients With Chronic Pain, 355
Turk, D. C.
Remember the Distinction Between Malignant and Benign Pain? Well, Forget It, 75
Turner, J. A. *see* Warms, C. A.

Umino, M.
Kohase, H., Ideguchi, S., Sakurai, N.: Long-Term Pain Control in Trigeminal Neuralgia With Local Anesthetics Using an Indwelling Catheter in the Mandibular Nerve, 196

Vacariu, G. *see* Strauss-Blasche, G.
Vakharia, A. S. *see* Gatchel, R. J.
van Breukelen, G. *see* Vlaeyen, J. W. S.
van der Wouden, J. C. *see* Hunfeld, J. A. M.
van Dijk, M.
Koot, H. M., Saad, H. H. A., Tibboel, D., Passchier, J.: Observational Visual Analog Scale in Pediatric Pain Assessment: Useful Tool or Good Riddance?, 310
van Kleef, M. *see* Forouzanfar, T.
van Suijlekom-Smit, L. W. A. *see* Hunfeld, J. A. M.
Vanharanta, H. *see* Pienimäki, T.
Vecchiet, J. *see* Panerai, A. E.
Vlaeyen, J. W. S.
de Jong, J., Geilen, M., Heuts, P. H. T. G., van Breukelen, G.: The Treatment of Fear of Movement/(Re)injury in Chronic Low Back Pain: Further Evidence on the Effectiveness of Exposure In Vivo, 251
Vrethem, M.
Boivie, J., Arnqvist, H., Holmgren, H., Lindström, T.: Painful Polyneuropathy in Patients With and Without Diabetes: Clinical, Neurophysiologic, and Quantitative Sensory Characteristics, 122

Wallace, M. S.
Braun, J., Schulteis, G.: Postdelivery of Alfentanil and Ketamine Has No Effect on Intradermal Capsaicin–Induced Pain and Hyperalgesia, 373
Warms, C. A.
Turner, J. A., Marshall, H. M., Cardenas, D. D.: Treatments for Chronic Pain Associated With Spinal Cord Injuries: Many Are Tried, Few Are Helpful, 154
Wasan, A. *see* Nedeljkovic, S. S.
Weaver, M.
Schnoll, S.: Abuse Liability in Opioid Therapy for Pain Treatment in Patients With an Addiction History, S61
Weber, W. E. J. *see* Forouzanfar, T.
Weinbroum, A. A. *see* Abraham, R. B.
Wheeler, A. H. *see* Goolkasian, P.
Whitcomb, L. A. *see* Kirsh, K. L.
Wilson, K. G.
Eriksson, M. Y., D'Eon, J. L., Mikail, S. F., Emery, P. C.: Major Depression and Insomnia in Chronic Pain, 77

Yücel, B.
Özyalcin, S., Sertel, H. Ö., Çamlica, H., Ketenci, A., Talu, G. K.: Childhood Traumatic Events and Dissociative Experiences in Patients With Chronic Headache and Low Back Pain, 394

Zakrzewska, J. M.
Diagnosis and Differential Diagnosis of Trigeminal Neuralgia, 14

The Clinical Journal of Pain
18:405–412 © 2002 Lippincott Williams & Wilkins, Inc., Philadelphia

The Clinical Journal of Pain
Volume 18, 2002

Subject Index

Accommodation
Complex regional pain syndrome type I: Associated visual sensorimotor case findings, 93
Acetylcholine
Possible mechanisms for the effects of botulinum toxin on pain, S125
Therapeutic use of botulinum toxins: Background and history, S119
Acupuncture
Comparison of superficial and deep acupuncture in the treatment of lumbar myofascial pain: A double-blind randomized controlled study, 149

Addiction
Abuse and addiction issues in medically ill patients with pain: Attempts at clarification of terms and empirical study, S52
Abuse liability in opioid therapy for pain treatment in patients with an addiction history, S61
Assessment for addiction in pain-treatment settings, S28
Ethical perspectives: Opioid treatment of chronic pain in the context of addiction, S99
U. S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease, S91
Addictive opioid-related disorders
Role of urine toxicology testing in the management of chronic opioid therapy, S76
Adherence
Role of urine toxicology testing in the management of chronic opioid therapy, S76
Adolescents
Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: A three-year follow-up, 99
Agreement analysis
Comparison of multiple against single pain intensity measurements in complex regional pain syndrome type I: Analysis of 54 patients, 234
Alfentanil
Postdelivery of alfentanil and ketamine has no effects on intradermal capsaicin-induced pain and hyperalgesia, 373
Analgesia
Does postoperative pain induce emesis?, 317
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Analgesics
Clinical pharmacology of opioids for pain, S3
A focused review on the use of botulinum toxin for neuropathic pain, S177
Role of urine toxicology testing in the management of chronic opioid therapy, S76
U. S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease, S91
Anticonvulsants
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Antidepressants
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Anxiety
The treatment of fear of movement/(re)injury in chronic low back pain: Evidence on the effectiveness of exposure in vivo, 251
Anxiety disorders
Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients, S14
Assessment
Assessment for addiction in pain-treatment settings, S28
Assessment of efficacy of long-term opioid therapy in pain patients with substance abuse potential, S39
Effects of controlled exercise trial on pain in nursing home residents, 380

Back pain
Contribution of individual spa therapies in the treatment of chronic pain, 302
Balneotherapy
Contribution of individual spa therapies in the treatment of chronic pain, 302
Barriers
U. S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease, S91
β-Endorphin concentration
Peripheral blood mononuclear cell β-endorphin concentration is decreased in chronic fatigue syndrome and fibromyalgia but not in depression: Preliminary report, 270

Blepharospasm
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Blood pressure
Lack of both sex differences and influence of resting blood pressure on muscle pain intensity, 386
Book reviews
Acute pain management: A practical guide, 2nd edition, 338
Bonica's management of pain, 3rd edition, 339
Neuropathic pain: Pathophysiology and treatment progress in pain research and management, Volume 21, 337
Botox
A focused review of the use of botulinum toxin for low back pain, S155
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Review of the use of botulinum toxin for hyperhidrosis and cosmetic purposes, S191
Use of botulinum toxin for chronic headaches: A focused review, S169
Botulinum toxin
Botulinum toxin in pain management of soft tissue syndromes, S147
Considering the immune response to botulinum toxin, S133
A focused review of the use of botulinum toxin for low back pain, S155
A focused review on the use of botulinum toxin for neuropathic pain, S177
Possible mechanisms for the effects of botulinum toxin on pain, S125
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Review of the use of botulinum toxin for hyperhidrosis and cosmetic purposes, S191
Therapeutic use of botulinum toxins: Background and history, S119
Treatment of spasticity with botulinum toxin, S182
Treatment of temporomandibular disorders with botulinum toxin, S198
Use of botulinum toxin for chronic headaches: A focused review, S169
Use of botulinum toxin in chronic whiplash-associated, S163

Cancer
Dextromethorphan for phantom limb pain attenuation in cancer amputees: A double-blind crossover trial involving three patients, 282
Capsaicin
Postdelivery of alfentanil and ketamine has no effects on intradermal capsaicin-induced pain and hyperalgesia, 373
Case report
Disruption of thermal perception in a multiple sclerosis patient with central pain, 191
Long-term pain control in trigeminal neuralgia with local anesthetics using an indwelling catheter in the mandibular nerve, 196
Management of progressive pain in a patient with intramedullary chordoma of the spine, 128
Methadone for phantom limb pain, 203
A novel treatment of postherpetic neuralgia using peppermint oil, 200
Catastrophizing
Memory for pain: The relationship of pain catastrophizing to the recall of daily rheumatoid arthritis pain, 56
Causalgia
Defining the therapeutic role of local anesthetic sympathetic blockade in complex regional pain syndrome: A narrative and systematic review, 216
Central pain
An overview of neuropathic pain: Syndromes, symptoms, signs, and several mechanisms, 343

Disruption of thermal perception in a multiple sclerosis patient with central pain, 191
Therapeutic extradural cortical stimulation for central and neuropathic pain: A review, 48
Cervical cord compression
Functional abnormalities of the cervical cord and lower medulla and their effect on pain: Observations in chronic pain patients with incidental mild Chiari I malformation and moderate to severe cervical cord compression, 171
Cervical dystonia
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Cervical pain
The Neck Pain and Disability Scale: Test-retest reliability and construct validity, 245
Cervical sprain
Use of botulinum toxin in chronic whiplash-associated, S163
Chiari I malformation
Functional abnormalities of the cervical cord and lower medulla and their effect on pain: Observations in chronic pain patients with incidental mild Chiari I malformation and moderate to severe cervical cord compression, 171
Childhood abuse
Childhood traumatic events and dissociative experiences in patients with chronic headache and low back pain, 394
China
Prevalence of common chronic pain in Hong Kong adults, 275
Chordoma
Management of progressive pain in a patient with intramedullary chordoma of the spine, 128
Chronic fatigue syndrome
Peripheral blood mononuclear cell β-endorphin concentration is decreased in chronic fatigue syndrome and fibromyalgia but not in depression: Preliminary report, 270
Chronic opioid therapy
Effects of intermediate- and long-term use of opioids on cognition in patients with chronic pain, S83
The opioid contract, S70
Role of urine toxicology testing in the management of chronic opioid therapy, S76
Chronic pain
Abuse and addiction issues in medically ill patients with pain: Attempts at clarification of terms and empirical study, S52
An overview of neuropathic pain: Syndromes, symptoms, signs, and several mechanisms, 343
Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients, S14
Assessment of efficacy of long-term opioid therapy in pain patients with substance abuse potential, S39
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Contribution of individual spa therapies in the treatment of chronic pain, 302
Educational achievement and chronic pain disability: Mediating role of pain-related cognitions, 286
Effects of intermediate- and long-term use of opioids on cognition in patients with chronic pain, S83
Major depression and insomnia in chronic pain, 77
A preliminary study of multidimensional pain inventory profile differences in predicting treatment outcome in a heterogeneous cohort of patients with chronic pain, 139
Prevalence of common chronic pain in Hong Kong adults, 275
Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: A three-year follow-up, 99
Clinical examination
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164
Clinical trial
Long-term use of gabapentin for treatment of pain after traumatic spinal cord injury, 116
Cognition
Educational achievement and chronic pain disability: Mediating role of pain-related cognitions, 286
Effects of intermediate- and long-term use of opioids on cognition in patients with chronic pain, S83
Cognitive-behavioral treatment
The treatment of fear of movement/(re)injury in chronic low back pain: Evidence on the effectiveness of exposure in vivo, 251
Cold allodynia
Disruption of thermal perception in a multiple sclerosis patient with central pain, 191
Comorbid psychiatric disorders
Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients, S14
Complex regional pain syndrome
Comparison of multiple against single pain intensity measurements in complex regional pain syndrome type I: Analysis of 54 patients, 234
Complex regional pain syndrome type I: Associated visual sensorimotor case findings, 93
Complex regional pain syndrome type I: Use of the International Association for the Study of Pain Diagnostic Criteria defined in 1994, 207
Defining the therapeutic role of local anesthetic sympathetic blockade in complex regional pain syndrome: A narrative and systematic review, 216
A focused review on the use of botulinum toxin for neuropathic pain, S177
Functional abnormalities of the cervical cord and lower medulla and their effect on pain: Observations in chronic pain patients with incidental mild Chiari I malformation and moderate to severe cervical cord compression, 171
Contract
The opioid contract, S70
Cosmetic
Review of the use of botulinum toxin for hyperhidrosis and cosmetic purposes, S191
Cost-effectiveness
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Toward a pharmacoeconomic model of neuropathic pain, 366
Cranial nerve neuralgia
Pathophysiology of trigeminal neuralgia: The ignition hypothesis, 4
Daily pain
Memory for pain: The relationship of pain catastrophizing to the recall of daily rheumatoid arthritis pain, 56
Decision-making
Repeated assessment of temporomandibular joint pain: Reasoned decision-making with use of unidimensional and multidimensional pain scales, 107
Dementia
Nursing staff members' perceptions of pain indicators in persons with severe dementia, 64
Demyelination
Treatment of spasticity with botulinum toxin, S182
Depression
Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients, S14
Major depression and insomnia in chronic pain, 77
Peripheral blood mononuclear cell β-endorphin concentration is decreased in chronic fatigue syndrome and fibromyalgia but not in depression: Preliminary report, 270
Dextromethorphan
Dextromethorphan for phantom limb pain attenuation in cancer amputees: A double-blind crossover trial involving three patients, 282
Diabetes
Painful polyneuropathy in patients with and without diabetes: Clinical, neurophysiologic, and quantitative sensory characteristics, 122

Diabetes mellitus
Epidemiology and impact on quality of life of postherpetic neuralgia and painful diabetic neuropathy, 350
Diabetic neuralgia
Epidemiology and impact on quality of life of postherpetic neuralgia and painful diabetic neuropathy, 350
Diabetic neuropathy
An overview of neuropathic pain: Syndromes, symptoms, signs, and several mechanisms, 343
A focused review on the use of botulinum toxin for neuropathic pain, S177
Diagnosis
Diagnosis and differential diagnosis of trigeminal neuralgia, 14
Diagnostic criteria
Complex regional pain syndrome type I: Use of the International Association for the Study of Pain Diagnostic Criteria defined in 1994, 207
Disability measurement
Educational achievement and chronic pain disability: Mediating role of pain-related cognitions, 286
The Neck Pain and Disability Scale: Test-retest reliability and construct validity, 245
Dissociative experiences
Childhood traumatic events and dissociative experiences in patients with chronic headache and low back pain, 394
Double-blind controlled study
Comparison of superficial and deep acupuncture in the treatment of lumbar myofascial pain: A double-blind randomized controlled study, 149
Double-blind crossover study
Dextromethorphan for phantom limb pain attenuation in cancer amputees: A double-blind crossover trial involving three patients, 282
Drug abuse. *see* Substance abuse
Drugs
Pharmacotherapy of trigeminal neuralgia, 22
Drug-seeking behavior
Abuse liability in opioid therapy for pain treatment in patients with an addiction history, S61
Dystonia
Botulinum toxin in pain management of soft tissue syndromes, S147
Possible mechanisms for the effects of botulinum toxin on pain, S125
Therapeutic use of botulinum toxins: Background and history, S119

Economics
Toward a pharmacoeconomic model of neuropathic pain, 366
Editorials
Remember the distinction between malignant and benign pain? Well, forget it, 75
Educational attainment
Educational achievement and chronic pain disability: Mediating role of pain-related cognitions, 286
Efficacy
Pharmacotherapy of trigeminal neuralgia, 22
Elderly
Nursing staff members' perceptions of pain indicators in persons with severe dementia, 64
Emesis
Does postoperative pain induce emesis?, 317
Endogenous opioid
Clinical pharmacology of opioids for pain, S3
Epidural anesthesia
Evidence for the optimal management of acute and chronic phantom pain: A systematic review, 84
Errata
Therapeutic extradural cortical stimulation for central and neuropathic pain: A review, 195
Ethics
Ethical perspectives: Opioid treatment of chronic pain in the context of addiction, S99
Euphoria
Clinical pharmacology of opioids for pain, S3
Exercise
Effects of controlled exercise trial on pain in nursing home residents, 380
Lack of both sex differences and influence of resting blood pressure on muscle pain intensity, 386
Experimental studies
Postdelivery of alfentanil and ketamine has no effects on intradermal capsaicin-induced pain and hyperalgesia, 373
Exposure in vivo
The treatment of fear of movement/(re)injury in chronic low back pain: Evidence on the effectiveness of exposure in vivo, 251
Eye movements
Complex regional pain syndrome type I: Associated visual sensorimotor case findings, 93

Family
Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: A three-year follow-up, 99
Fatigue
Complex regional pain syndrome type I: Associated visual sensorimotor case findings, 93
Fear-avoidance beliefs
The treatment of fear of movement/(re)injury in chronic low back pain: Evidence on the effectiveness of exposure in vivo, 251
Fibromyalgia
Botulinum toxin in pain management of soft tissue syndromes, S147
Functional abnormalities of the cervical cord and lower medulla and their effect on pain: Observations in chronic pain patients with incidental mild Chiari I malformation and moderate to severe cervical cord compression, 171
Peripheral blood mononuclear cell β-endorphin concentration is decreased in chronic fatigue syndrome and fibromyalgia but not in depression: Preliminary report, 270
Systematic review of randomized controlled trials of nonpharmacological interventions for fibromyalgia, 324
Follow-up
Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: A three-year follow-up, 99
Functional capacity
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164

Gabapentin
Long-term use of gabapentin for treatment of pain after traumatic spinal cord injury, 116
Gender
Lack of both sex differences and influence of resting blood pressure on muscle pain intensity, 386
Generalizability
Repeated assessment of temporomandibular joint pain: Reasoned decision-making with use of unidimensional and multidimensional pain scales, 107
Grip strength
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164

Headache
Childhood traumatic events and dissociative experiences in patients with chronic headache and low back pain, 394
Use of botulinum toxin for chronic headaches: A focused review, S169
Heat
A comparison of modality-specific somatosensory changes during menstruation in dysmenorrheic and nondysmenorrheic women, 180

Hemifacial spasm
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Herniated disc
A focused review of the use of botulinum toxin for low back pain, S155
Herpes zoster
Epidemiology and impact on quality of life of postherpetic neuralgia and painful diabetic neuropathy, 350
Human clinical trial
Comparison of superficial and deep acupuncture in the treatment of lumbar myofascial pain: A double-blind randomized controlled study, 149
Hyperhidrosis
Review of the use of botulinum toxin for hyperhidrosis and cosmetic purposes, S191
Hypogonadism
Sex hormone suppression by intrathecal opioids: A prospective study, 144
Hypothalamic-pituitary-gonadal axis
Sex hormone suppression by intrathecal opioids: A prospective study, 144

Immune response
Considering the immune response to botulinum toxin, S133
Immune system
Peripheral blood mononuclear cell β-endorphin concentration is decreased in chronic fatigue syndrome and fibromyalgia but not in depression: Preliminary report, 270
Immunogenicity
Considering the immune response to botulinum toxin, S133
Impairment
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164
Implantable drug delivery systems
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Indwelling catheter
Long-term pain control in trigeminal neuralgia with local anesthetics using an indwelling catheter in the mandibular nerve, 196
Insomnia
Major depression and insomnia in chronic pain, 77
Interdisciplinary treatment
A preliminary study of multidimensional pain inventory profile differences in predicting treatment outcome in a heterogeneous cohort of patients with chronic pain, 139
International Association for the Study of Pain
Complex regional pain syndrome type I: Use of the International Association for the Study of Pain Diagnostic Criteria defined in 1994, 207
Interviews
Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: A three-year follow-up, 99
Intractable behavior
Role of urine toxicology testing in the management of chronic opioid therapy, S76
Intraspinal opioids
Sex hormone suppression by intrathecal opioids: A prospective study, 144
Intraventricular approach
Management of progressive pain in a patient with intramedullary chordoma of the spine, 128

Ketamine
Postdelivery of alfentanil and ketamine has no effects on intradermal capsaicin-induced pain and hyperalgesia, 373

Lateral epicondylitis
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164
Letters to the editor
A comparison of blacks and whites seeking treatment for chronic pain, 136
Lidocaine patch
The lidocaine patch 5% effectively treats all neuropathic pain qualities: Results of a randomized, double-blind, vehicle-controlled, 3-week efficacy study with use of the Neuropathic Pain Scale, 297
Local anesthetics
Long-term pain control in trigeminal neuralgia with local anesthetics using an indwelling catheter in the mandibular nerve, 196
Long-term pain control
Long-term pain control in trigeminal neuralgia with local anesthetics using an indwelling catheter in the mandibular nerve, 196
Low back pain
Childhood traumatic events and dissociative experiences in patients with chronic headache and low back pain, 394
Comparison of superficial and deep acupuncture in the treatment of lumbar myofascial pain: A double-blind randomized controlled study, 149
A focused review of the use of botulinum toxin for low back pain, S155
Meralgia paresthetica in differential diagnosis of low-back pain, 132
The treatment of fear of movement/(re)injury in chronic low back pain: Evidence on the effectiveness of exposure in vivo, 251

Magnetic resonance imaging
Diagnosis and differential diagnosis of trigeminal neuralgia, 14
Mandibular nerve
Long-term pain control in trigeminal neuralgia with local anesthetics using an indwelling catheter in the mandibular nerve, 196
McGill Pain Questionnaire
A comparison of modality-specific somatosensory changes during menstruation in dysmenorrheic and nondysmenorrheic women, 180
Medical decision-making
Ethical perspectives: Opioid treatment of chronic pain in the context of addiction, S99
Medical illness
Abuse and addiction issues in medically ill patients with pain: Attempts at clarification of terms and empirical study, S52
Medication misuse/abuse
Abuse liability in opioid therapy for pain treatment in patients with an addiction history, S61
Memory for pain
Memory for pain: The relationship of pain catastrophizing to the recall of daily rheumatoid arthritis pain, 56
Menstrual pain
A comparison of modality-specific somatosensory changes during menstruation in dysmenorrheic and nondysmenorrheic women
Menthol
A novel treatment of postherpetic neuralgia using peppermint oil, 200
Meralgia paresthetica
Meralgia paresthetica in differential diagnosis of low-back pain, 132
Meta-analysis
Defining the therapeutic role of local anesthetic sympathetic blockade in complex regional pain syndrome: A narrative and systematic review, 216
Methadone
Methadone for phantom limb pain, 203
Methodology
Comparison of superficial and deep acupuncture in the treatment of lumbar myofascial pain: A double-blind randomized controlled study, 149
N-Methyl-D-aspartate
Dextromethorphan for phantom limb pain attenuation in cancer amputees: A double-blind crossover trial involving three patients, 282

Microvascular decompression
Microvascular decompression, 35
Pathophysiology of trigeminal neuralgia: The ignition hypothesis, 4
Modeling
Toward a pharmacoeconomic model of neuropathic pain, 366
Morphine
Does postoperative pain induce emesis?, 317
Effects of intermediate- and long-term use of opioids on cognition in patients with chronic pain, S83
Sex hormone suppression by intrathecal opioids: A prospective study, 144
Morphinelike agonist
Clinical pharmacology of opioids for pain, S3
Motor cortex stimulation
Therapeutic extradural cortical stimulation for central and neuropathic pain: A review, 48
Multidimensional Pain Inventory
Prediction of outcome in whiplash-associated disorders using West Haven-Yale Multidimensional Pain Inventory, 238
A preliminary study of multidimensional pain inventory profile differences in predicting treatment outcome in a heterogeneous cohort of patients with chronic pain, 139
Multiple pain rating
Comparison of multiple against single pain intensity measurements in complex regional pain syndrome type I: Analysis of 54 patients, 234
Multiple sclerosis
Disruption of thermal perception in a multiple sclerosis patient with central pain, 191
Muscle pain
Lack of both sex differences and influence of resting blood pressure on muscle pain intensity, 386
Myobloc
A focused review of the use of botulinum toxin for low back pain, S155
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Review of the use of botulinum toxin for hyperhidrosis and cosmetic purposes, S191
Use of botulinum toxin for chronic headaches: A focused review, S169
Myofascial pain
Comparison of superficial and deep acupuncture in the treatment of lumbar myofascial pain: A double-blind randomized controlled study, 149

Neck pain
The Neck Pain and Disability Scale: Test-retest reliability and construct validity, 245
Prediction of outcome in whiplash-associated disorders using West Haven-Yale Multidimensional Pain Inventory, 238
Use of botulinum toxin in chronic whiplash-associated, S163
Nerve blocks
Evidence for the optimal management of acute and chronic phantom pain: A systematic review, 84
Nerve pathophysiology
Pathophysiology of trigeminal neuralgia: The ignition hypothesis, 4
Neural pathways
Treatment of spasticity with botulinum toxin, S182
Neurontin
Long-term use of gabapentin for treatment of pain after traumatic spinal cord injury, 116
Neuropathic pain
An overview of neuropathic pain: Syndromes, symptoms, signs, and several mechanisms, 343
A focused review on the use of botulinum toxin for neuropathic pain, S177
The lidocaine patch 5% effectively treats all neuropathic pain qualities: Results of a randomized, double-blind, vehicle-controlled, 3-week efficacy study with use of the Neuropathic Pain Scale, 297
A novel treatment of postherpetic neuralgia using peppermint oil, 200
Peripheral and Gasserian ganglion-level procedures for the treatment of trigeminal neuralgia, 28
Therapeutic extradural cortical stimulation for central and neuropathic pain: A review, 48
Toward a pharmacoeconomic model of neuropathic pain, 366
Neuropathic Pain Scale
The lidocaine patch 5% effectively treats all neuropathic pain qualities: Results of a randomized, double-blind, vehicle-controlled, 3-week efficacy study with use of the Neuropathic Pain Scale, 297
Neurotoxin
Possible mechanisms for the effects of botulinum toxin on pain, S125
Therapeutic use of botulinum toxins: Background and history, S119
Nociceptive pain
A focused review on the use of botulinum toxin for neuropathic pain, S177
Nociceptor
A focused review of the use of botulinum toxin for low back pain, S155
Nonpharmacological treatment
Systematic review of randomized controlled trials of nonpharmacological interventions for fibromyalgia, 324
Nursing homes
Effects of controlled exercise trial on pain in nursing home residents, 380
Nursing staff members' perceptions of pain indicators in persons with severe dementia, 64

Opioid dependence
Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients, S14
Opioid pain
Role of urine toxicology testing in the management of chronic opioid therapy, S76
Opioid receptor
Clinical pharmacology of opioids for pain, S3
Opioid rotation
Clinical pharmacology of opioids for pain, S3
Opioids
Assessment for addiction in pain-treatment settings, S28
Assessment of efficacy of long-term opioid therapy in pain patients with substance abuse potential, S39
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Effects of intermediate- and long-term use of opioids on cognition in patients with chronic pain, S83
The opioid contract, S70
U. S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease, S91
Orofacial pain
Treatment of temporomandibular disorders with botulinum toxin, S198
Outcome evaluation
Assessment of efficacy of long-term opioid therapy in pain patients with substance abuse potential, S39

Pain
Effects of controlled exercise trial on pain in nursing home residents, 380
Nursing staff members' perceptions of pain indicators in persons with severe dementia, 64
Possible mechanisms for the effects of botulinum toxin on pain, S125
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142

Therapeutic use of botulinum toxins: Background and history, S119
Treatments for chronic pain associated with spinal cord injuries: Many are tried, few are helpful, 154
Use of botulinum toxin for chronic headaches: A focused review, S169
Pain beliefs
Educational achievement and chronic pain disability: Mediating role of pain-related cognitions, 286
Pain management
The lidocaine patch 5% effectively treats all neuropathic pain qualities: Results of a randomized, double-blind, vehicle-controlled, 3-week efficacy study with use of the Neuropathic Pain Scale, 297
Pain in hospitalized pediatric patients: How are we doing?, 262
U. S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease, S91
Pain measurement
The Neck Pain and Disability Scale: Test-retest reliability and construct validity, 245
Pain mechanism
The lidocaine patch 5% effectively treats all neuropathic pain qualities: Results of a randomized, double-blind, vehicle-controlled, 3-week efficacy study with use of the Neuropathic Pain Scale, 297
Pain-patient heterogeneity
A preliminary study of multidimensional pain inventory profile differences in predicting treatment outcome in a heterogeneous cohort of patients with chronic pain, 139
Pain prevalence
Pain in hospitalized pediatric patients: How are we doing?, 262
Pain rating index
Repeated assessment of temporomandibular joint pain: Reasoned decision-making with use of unidimensional and multidimensional pain scales, 107
Pain rehabilitation program
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Pain threshold
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164
Patient-controlled analgesia
Does postoperative pain induce emesis?, 317
Pediatric pain
Observational visual analog scale in pediatric pain assessment: Useful tool or good riddance?, 310
Pain in hospitalized pediatric patients: How are we doing?, 262
Peppermint
A novel treatment of postherpetic neuralgia using peppermint oil, 200
Peripheral blood mononuclear cells
Peripheral blood mononuclear cell β-endorphin concentration is decreased in chronic fatigue syndrome and fibromyalgia but not in depression: Preliminary report, 270
Personality disorders
Assessment and treatment of comorbid psychiatric disorders in opioid-dependent patients, S14
Phantom limb pain
Dextromethorphan for phantom limb pain attenuation in cancer amputees: A double-blind crossover trial involving three patients, 282
Evidence for the optimal management of acute and chronic phantom pain: A systematic review, 84
Methadone for phantom limb pain, 203
Pharmacoeconomic model
Toward a pharmacoeconomic model of neuropathic pain, 366
Physical therapy
Contribution of individual spa therapies in the treatment of chronic pain, 302
Policy
U. S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease, S91
Polyneuropathy
Painful polyneuropathy in patients with and without diabetes: Clinical, neurophysiologic, and quantitative sensory characteristics, 122
Population
Prevalence of common chronic pain in Hong Kong adults, 275
Postherpetic neuralgia
An overview of neuropathic pain: Syndromes, symptoms, signs, and several mechanisms, 343
Epidemiology and impact on quality of life of postherpetic neuralgia and painful diabetic neuropathy, 350
A focused review on the use of botulinum toxin for neuropathic pain, S177
The lidocaine patch 5% effectively treats all neuropathic pain qualities: Results of a randomized, double-blind, vehicle-controlled, 3-week efficacy study with use of the Neuropathic Pain Scale, 297
A novel treatment of postherpetic neuralgia using peppermint oil, 200
Postoperative pain
Does postoperative pain induce emesis?, 317
Pressure
A comparison of modality-specific somatosensory changes during menstruation in dysmenorrheic and nondysmenorrheic women
Prevalence
Prevalence of common chronic pain in Hong Kong adults, 275
Principle of double effect
Ethical perspectives: Opioid treatment of chronic pain in the context of addiction, S99
Pseudoaddiction
Abuse liability in opioid therapy for pain treatment ia patients with an addiction history, S61
Ethical perspectives: Opioid treatment of chronic pain in the context of addiction, S99
Psychometrics
Observational visual analog scale in pediatric pain assessment: Useful tool or good riddance?, 310
Prediction of outcome in whiplash-associated disorders using West Haven-Yale Multidimensional Pain Inventory, 238
Psychomotor tasks
Effects of intermediate- and long-term use of opioids on cognition in patients with chronic pain, S83

Quality of life
Contribution of individual spa therapies in the treatment of chronic pain, 302
Epidemiology and impact on quality of life of postherpetic neuralgia and painful diabetic neuropathy, 350
Ethical perspectives: Opioid treatment of chronic pain in the context of addiction, S99
Stability of pain parameters and pain-related quality of life in adolescents with persistent pain: A three-year follow-up, 99

Radiosurgery
Stereotactic radiosurgery for the treatment of trigeminal neuralgia, 42
Randomized controlled trials
Systematic review of randomized controlled trials of nonpharmacological interventions for fibromyalgia, 324
Reflex sympathetic dystrophy
Complex regional pain syndrome type I: Associated visual sensorimotor case findings, 93
Defining the therapeutic role of local anesthetic sympathetic blockade in complex regional pain syndrome: A narrative and systematic review, 216
Rehabilitation
Associations between pain, grip strength, and manual tests in the treatment evaluation of chronic tennis elbow, 164

Reliability
Repeated assessment of temporomandibular joint pain: Reasoned decision-making with use of unidimensional and multidimensional pain scales, 107
Review
Peripheral and Gasserian ganglion-level procedures for the treatment of trigeminal neuralgia, 28
Rheumatoid arthritis
Memory for pain: The relationship of pain catastrophizing to the recall of daily rheumatoid arthritis pain, 56

Secondary nonresponsiveness
Considering the immune response to botulinum toxin, S133
Sensitivity
A comparison of modality-specific somatosensory changes during menstruation in dysmenorrheic and nondysmenorrheic women
Sensory examination
Painful polyneuropathy in patients with and without diabetes: Clinical, neurophysiologic, and quantitative sensory characteristics, 122
Single pain rating
Comparison of multiple against single pain intensity measurements in complex regional pain syndrome type I: Analysis of 54 patients, 234
Sleep
Major depression and insomnia in chronic pain, 77
Socioeconomic status
Educational achievement and chronic pain disability: Mediating role of pain-related cognitions, 286
Soft-tissue syndromes
Botulinum toxin in pain management of soft tissue syndromes, S147
Somatosensory threshold
A comparison of modality-specific somatosensory changes during menstruation in dysmenorrheic and nondysmenorrheic women
Spasticity
Treatment of spasticity with botulinum toxin, S182
Spa therapy
Contribution of individual spa therapies in the treatment of chronic pain, 302
Spinal cord injury
A focused review on the use of botulinum toxin for neuropathic pain, S177
Long-term use of gabapentin for treatment of pain after traumatic spinal cord injury, 116
Treatments for chronic pain associated with spinal cord injuries: Many are tried, few are helpful, 154
Spinal cord stimulation
Clinical effectiveness and cost-effectiveness of treatments for patients with chronic pain, 355
Spinal tumors
Management of progressive pain in a patient with intramedullary chordoma of the spine, 128
Spinothalamic tract
Disruption of thermal perception in a multiple sclerosis patient with central pain, 191
Strabismus
Review of the FDA-approved uses of botulinum toxins, including data suggesting efficacy in pain reduction, S142
Substance abuse
Abuse and addiction issues in medically ill patients with pain: Attempts at clarification of terms and empirical study, S52
Abuse liability in opioid therapy for pain treatment in patients with an addiction history, S61
Assessment for addiction in pain-treatment settings, S28
Assessment of efficacy of long-term opioid therapy in pain patients with substance abuse potential, S39
The opioid contract, S70
Surgery
Microvascular decompression, 35
Survey
Treatments for chronic pain associated with spinal cord injuries: Many are tried, few are helpful, 154
Systematic review
Complex regional pain syndrome type I: Use of the International Association for the Study of Pain Diagnostic Criteria defined in 1994, 207
Systematic review of randomized controlled trials of nonpharmacological interventions for fibromyalgia, 324

Telephone survey
Prevalence of common chronic pain in Hong Kong adults, 275
Temporomandibular disorders
Repeated assessment of temporomandibular joint pain: Reasoned decision-making with use of unidimensional and multidimensional pain scales, 107
Treatment of temporomandibular disorders with botulinum toxin, S198
Temporomandibular joint
Treatment of temporomandibular disorders with botulinum toxin, S198
Testosterone
Sex hormone suppression by intrathecal opioids: A prospective study, 144
Thermosensory
Disruption of thermal perception in a multiple sclerosis patient with central pain, 191
Tic douloureux
Pathophysiology of trigeminal neuralgia: The ignition hypothesis, 4
Treatment
A novel treatment of postherpetic neuralgia using peppermint oil, 200
Peripheral and Gasserian ganglion-level procedures for the treatment of trigeminal neuralgia, 28
Treatments for chronic pain associated with spinal cord injuries: Many are tried, few are helpful, 154
Trigeminal nerve
Stereotactic radiosurgery for the treatment of trigeminal neuralgia, 42
Trigeminal neuralgia
Diagnosis and differential diagnosis of trigeminal neuralgia, 14
Long-term pain control in trigeminal neuralgia with local anesthetics using an indwelling catheter in the mandibular nerve, 196
Microvascular decompression, 35
Pathophysiology of trigeminal neuralgia: The ignition hypothesis, 4
Peripheral and Gasserian ganglion-level procedures for the treatment of trigeminal neuralgia, 28
Pharmacotherapy of trigeminal neuralgia, 22
Stereotactic radiosurgery for the treatment of trigeminal neuralgia, 42

Urine toxicology testing
Role of urine toxicology testing in the management of chronic opioid therapy, S76

Visual analog scale
Observational visual analog scale in pediatric pain assessment: Useful tool or good riddance?, 310
Repeated assessment of temporomandibular joint pain: Reasoned decision-making with use of unidimensional and multidimensional pain scales, 107

Weight lifting
Lack of both sex differences and influence of resting blood pressure on muscle pain intensity, 386
Whiplash
Prediction of outcome in whiplash-associated disorders using West Haven-Yale Multidimensional Pain Inventory, 238
Use of botulinum toxin in chronic whiplash-associated, S163
Whiplash-associated disorders
Use of botulinum toxin in chronic whiplash-associated disorders, S163